

True

PEPSI



FAST FACTS CATALOG



True.

PEPSI *FAST FACTS CATALOG*

PEPSI FAST FACTS

TRUE®

Doors

One Swing Door

GDM-7
GDM-10
GDM-10SSL
GDM-12
GDM-23
GDM-26

Two Swing Doors

GDM-10PT (1fr/1bk)
GDM-14RF
GDM-35
GDM-35SL-RF
GDM-43
GDM-49

Three Swing Doors

GDM-72

Two Slide Doors

GDM-9
GDM-33
GDM-33SSL-54
GDM-37
GDM-41
GDM-41C-48
GDM-41SL-54WM
GDM-41SL-60WM
GDM-45

Three Slide Doors

GDM-69

Four Slide Doors (2fr/2bk)

GDM-33CPT
GDM-33CPT-54
GDM-41CPT-48

Air Curtain Merchandisers

(no doors)
TAC-30/30GS
TAC-36
TAC-48/48GS



Number of Doors per Cooler

REFRIGERATION SYSTEM

- By matching and balancing compressors, evaporators and condenser coils, True engineers environmentally friendly refrigeration systems that provide users with shorter run times, lower energy consumption and the industry's coldest holding temperatures.
- True's coated evaporator coils have 20-40% more surface area than the industry standard resulting in faster pull down of product temperatures and quicker recovery times.
- By utilizing the largest condensers in the industry with more standard passes, True units will ensure better food preservation.

FAN MOTORS

True uses completely sealed, oil-filled, self lubricating, fan motors with a life expectancy of 15-20 years. The motors are matched with the correct size fan blades to optimize the refrigeration performance and allow for faster recovery and better uniform temperature throughout the cabinet.

ECOMATE FOAM

True continues its commitment to sustainability by pioneering the use of Ecomate, a foamed in place, CFC free polyurethane, high-density insulation. Ecomate provides unparalleled strength, rigidity, and an increase to an already industry-exceeding insulation factor, with zero ozone depletion potential (ODP) and zero global warming potential (GWP).



ENERGY EFFICIENT GLASS

All True glass door units utilize the best available technology for energy efficiency. For medium temp applications (refrigerators), True uses double pane "Low-E" glass assemblies providing greater insulation values resulting in decreased compressor run time and reduced energy costs.

100% RUN TESTING

True run tests every single model that is manufactured as a part of the final quality inspection before releasing the unit into finished goods inventory. Every refrigerator is run tested for 4-6 hours.

SHELVING

True manufactures its own heavy-duty wire shelves, utilizing larger diameter steel for strength. Shelving is bonded with powdered PVC to prevent chipping and peeling which is prevalent in standard epoxy coated shelves.

TrueFlex GRAVITY FEED ORGANIZERS

Easy to install and load, TrueFlex Gravity Feed Organizers maximize cooler pack-out. A new silicon "slip" agent improves slide performance. The open track design does not restrict air flow or inhibit cabinet pull down. Single glides snap on to our wire shelves; no Tie Downs! Solid side walls, dual front bars and back bar ensure product stability. Just three sizes fit over 30 models.



WARRANTY

True's exclusive 5 year compressor/condensing unit warranty is the envy of the industry. At no additional cost, our customers enjoy the option of having the entire condensing unit replaced. This consists of a new compressor, condenser, start components, and fan motor, all of which are pre-assembled and shipped from the factory. True also includes a 3 year parts and labor warranty and has an extensive parts inventory ready for immediate shipment.

AVAILABILITY

True builds for inventory, which allows for a near 100% fill rate on standard items within a 2-3 day turn around from the time the P.O. is received and processed.

ENERGY STAR®

True is committed to eco-friendly manufacturing by meeting and surpassing energy standards, without sacrificing performance. By using higher capacity, balanced refrigeration systems, True's run time exceeds industry energy efficiency expectations.

CUSTOMER SERVICE

True employs an extensive group of regional factory salespeople and international salespeople. Our dedicated sales staff is your premiere source for educated sales and design assistance.

MADE IN THE USA

True has manufactured its products in the United States for over 65 years using an industry leading combination of high quality materials and components designed to optimize cabinet performance and durability.



AVAILABLE MODELS

6 BOTTLES DEEP:

GDM-10
GDM-12
GDM-41C-48
TAC-30
TAC-30GS

7 BOTTLES DEEP:

GDM-14RF
GDM-33
GDM-35
GDM-37
GDM-41
GDM-43
GDM-45
GDM-49
GDM-69
GDM-72

8 BOTTLES DEEP:

GDM-23
GDM-26

- Based on 20 oz. Bottles



TrueFlex Gravity Feed Organizers

MODELS

BENEFITS

BENEFITS

- Double front bars and high side walls prevent bottles from tipping. Back bar prevents bottles from leaning against back wall of cooler.
- Single glides offer flexibility to display multiple packages on the same shelf.
- Easy to install. TrueFlex glides snap on to standard wire shelves, thus making it possible to retrofit older coolers equipped with flat shelves.
- Includes shelf retainer clips that keep shelves from sliding into door. Eliminates zip ties and service calls.
- Enhanced silicon "slip" agent improves gravity feed performance.
- Optimum Air Flow ensures rapid pull down to serving temperature.
- Can be ordered with the cooler and shipped inside the unit for one stop shopping (pictured).



Model	DIMENSIONS* L x D x H (inches)
GDM-7	24 x 24 ³ / ₄ x 39 ³ / ₄
GDM-9	36 ¹ / ₈ x 22 ³ / ₈ x 39 ¹ / ₂
GDM-10	24 ⁷ / ₈ x 23 ¹ / ₈ x 53 ¹ / ₂
GDM-10PT	24 ⁷ / ₈ x 25 ³ / ₄ x 53 ¹ / ₂
GDM-10SSL	24 ⁷ / ₈ x 18 x 53 ¹ / ₂
GDM-12	24 ⁷ / ₈ x 23 ¹ / ₈ x 62 ³ / ₈
GDM-14RF	30 ³ / ₈ x 29 ¹ / ₄ x 58
GDM-23	27 x 29 ⁷ / ₈ x 78 ⁵ / ₈
GDM-26	30 x 29 ⁷ / ₈ x 78 ⁵ / ₈
GDM-33	39 ¹ / ₂ x 29 ⁵ / ₈ x 78 ⁵ / ₈
GDM-33CPT	39 ¹ / ₂ x 24 ¹ / ₈ x 59 ⁷ / ₈

Model	DIMENSIONS* L x D x H (inches)
GDM-33CPT-54	39 ¹ / ₂ x 24 ¹ / ₈ x 54 ¹ / ₈
GDM-33SSL-54	36 x 18 x 54 ¹ / ₈
GDM-35	39 ¹ / ₂ x 29 ⁷ / ₈ x 78 ⁵ / ₈
GDM-35SL-RF	39 ³ / ₄ x 24 ¹ / ₄ x 58 ¹ / ₈
GDM-37	43 ¹ / ₂ x 29 ⁵ / ₈ x 78 ⁵ / ₈
GDM-41	47 ¹ / ₈ x 29 ⁵ / ₈ x 78 ⁵ / ₈
GDM-41C-48	48 x 24 ¹ / ₈ x 48
GDM-41CPT-48	48 x 24 ¹ / ₈ x 48
GDM-41SL-54	47 ¹ / ₈ x 21 x 54 ¹ / ₈
GDM-41SL-60	47 ¹ / ₈ x 21 x 59 ⁷ / ₈
GDM-43	47 ¹ / ₈ x 29 ⁷ / ₈ x 78 ⁵ / ₈

Model	DIMENSIONS* L x D x H (inches)
GDM-45	51 1/8 x 29 5/8 x 78 5/8
GDM-49	54 1/8 x 29 7/8 x 78 5/8
GDM-69	78 1/8 x 29 5/8 x 78 5/8
GDM-72	78 1/8 x 29 7/8 x 78 5/8
TAC-30	30 x 30 1/8 x 80 5/8
TAC-30GS	30 3/8 x 29 3/4 x 80 3/4
TAC-36	36 x 30 1/8 x 80 5/8
TAC-48	48 x 30 1/8 x 80 5/8
TAC-48GS	48 x 30 1/4 x 80 5/8

Model	DIMENSIONS* L x D x H (inches)
--------------	---

* All dimensions rounded up to the nearest 1/8".

GDM door handles vary in size, check interior cooler pages for depth footnotes.
GDM-14RF height does not include 3/8" for appliance rollers.



GDM-7

GLASS DOOR MERCHANDISER

MODEL SPECIFICATIONS

Daily KWH usage: 2.35

CABINET

DIMENSIONS (LDH)

24 x 24³/₄ x 39³/₄ inches
610 x 629 x 1010 mm

SHELF SIZE (LD)

2 Top = 19³/₄ x 18
1 Bottom = 19³/₄ x 16¹/₂ inches
2 Top = 502 x 458
1 Bottom = 502 x 420 mm

CAPACITY (20 OZ)

Standard Shelving: 3 Flat Shelves __ 112

CRATED WEIGHT (LBS)

200

HORSEPOWER

1/5

AMPS

4.5

TRAILER LOADS

40' Container - 86
48' Trlr Load - 114
53' Trlr Load - 120

MODEL SPECIFICATIONS

	Daily KWH usage: 3.78
CABINET DIMENSIONS (LDH)	36 $\frac{1}{8}$ x 22 $\frac{3}{8}$ x 39 $\frac{1}{2}$ inches 918 x 569 x 1004 mm
SHELF SIZE (LD)	2 Top = 31 $\frac{3}{4}$ x 15 1 Bottom = 31 $\frac{3}{4}$ x 8 $\frac{1}{2}$ inches 2 Top = 807 x 381 1 Bottom = 807 x 210 mm
CAPACITY (20 OZ)	Standard Shelving: 3 Flat Shelves __ 143
CRATED WEIGHT (LBS)	265
HORSEPOWER	$\frac{1}{5}$
AMPS	4.1
TRAILER LOADS	40' Container - 80 48'Trlr Load - 100 53'Trlr Load - 110

DEPTH DOES NOT INCLUDE $\frac{3}{4}$ " FOR SLIDE DOOR HANDLE.



GDM-9

GLASS DOOR MERCHANDISER



GDM-10

GLASS DOOR MERCHANDISER



MODEL SPECIFICATIONS

	Daily KWH usage: 1.84
CABINET DIMENSIONS (LDH)	24 $\frac{7}{8}$ x 23 $\frac{1}{8}$ x 53 $\frac{1}{2}$ inches 632 x 588 x 1359 mm
SHELF SIZE (LD)	20 $\frac{5}{8}$ x 17 $\frac{1}{2}$ inches 524 x 445 mm
CAPACITY (20 OZ)	Standard Shelving: 3 Flat Shelves __ 168 Shelving Options: <i>Trueflex</i> . (3) __ 108
CRATED WEIGHT (LBS)	200
HORSEPOWER	$\frac{1}{5}$
AMPS	4.1
TRAILER LOADS	40' Container - 51 48' Trlr Load - 63 53' Trlr Load - 69

DEPTH DOES NOT INCLUDE 1" FOR REAR BUMPERS.

MODEL SPECIFICATIONS

	Daily KWH usage: 2.43
CABINET DIMENSIONS (LDH)	24 ⁷ / ₈ x 25 ³ / ₄ x 53 ¹ / ₂ inches 632 x 655 x 1359 mm
SHELF SIZE (LD)	20 ⁵ / ₈ x 17 ¹ / ₂ inches 524 x 445 mm
CAPACITY (20 OZ)	Standard Shelving: 3 Flat Shelves __ 126
CRATED WEIGHT (LBS)	255
HORSEPOWER	1/5
AMPS	2.6
TRAILER LOADS	40' Container - 45 48' Trlr Load - 57 53' Trlr Load - 63

DEPTH DOES NOT INCLUDE 3/8" EACH SIDE FOR SWING DOOR HANDLES.



GDM-10PT

GLASS DOOR MERCHANDISER



GDM-10SSL

GLASS DOOR MERCHANDISER



MODEL SPECIFICATIONS

CABINET DIMENSIONS (LDH)	Daily KWH usage: 1.68 24 $\frac{7}{8}$ x 18 x 53 $\frac{1}{2}$ inches 632 x 458 x 1359 mm
SHELF SIZE (LD)	20 $\frac{5}{8}$ x 12 $\frac{1}{2}$ inches 524 x 318 mm
CAPACITY (20 OZ)	Standard Shelving: 3 Flat Shelves <u>84</u>
CRATED WEIGHT (LBS)	<u>175</u>
HORSEPOWER	<u>$\frac{1}{6}$</u>
AMPS	<u>3.5</u>
TRAILER LOADS	40' Container - 60 48' Trlr Load - 72 53' Trlr Load - 81

DEPTH DOES NOT INCLUDE $\frac{3}{8}$ " FOR SWING DOOR HANDLE.
DEPTH DOES NOT INCLUDE 1" FOR REAR BUMPERS.

MODEL SPECIFICATIONS

	Daily KWH usage: 2.01
CABINET DIMENSIONS (LDH)	24 ⁷ / ₈ x 23 ¹ / ₈ x 62 ³ / ₈ inches 632 x 588 x 1585 mm
SHELF SIZE (LD)	20 ⁵ / ₈ x 17 ¹ / ₂ mm 524 x 445 mm
CAPACITY (20 OZ)	Standard Shelving: 3 Flat Shelves __ 126 Shelving Options: 4 Flat Shelves __ 168 <i>Trueflex</i> . (4) 144
CRATED WEIGHT (LBS)	220
HORSEPOWER	1/5
AMPS	4.1
TRAILER LOADS	40' Container - 51 48' Trlr Load - 63 53' Trlr Load - 69

DEPTH DOES NOT INCLUDE 1" FOR REAR BUMPERS



GDM-12

GLASS DOOR MERCHANDISER



GDM-14RF

GLASS DOOR MERCHANDISER



MODEL SPECIFICATIONS

CABINET	Daily KWH usage: 2.92
DIMENSIONS (LDH)	30 ³ / ₈ x 29 ¹ / ₄ x 58 inches 772 x 743 x 1474 mm
SHELF SIZE (LD)	25 ³ / ₄ x 20 ¹ / ₂ inches 655 x 521 mm
CAPACITY (20 OZ)	
	Standard Shelving: <i>Trueflex</i> . (4) __ 224
	Shelving Options: 4 Flat Shelves 252
CRATED WEIGHT (LBS)	295
HORSEPOWER	¹ / ₃
AMPS	7.9
TRAILER LOADS	40' Container - 28 48' Trlr Load - 32 53' Trlr Load - 36

DEPTH DOES NOT INCLUDE 1³/₈" FOR SWING DOOR HANDLE.
HEIGHT DOES NOT INCLUDE ⁵/₈" FOR APPLIANCE ROLLERS.

MODEL SPECIFICATIONS

	Daily KWH usage: 3.19
CABINET DIMENSIONS (LDH)	27 x 29 ⁷ / ₈ x 78 ⁵ / ₈ inches 686 x 759 x 1998 mm
SHELF SIZE (LD)	22 ⁵ / ₈ x 23 ¹ / ₄ inches 575 x 591 mm
CAPACITY (20 OZ)	Standard Shelving: 4 Flat Shelves __ 256 Shelving Options: 5 Flat Shelves __ 320 <i>Trueflex</i> (5) __ 280
CRATED WEIGHT (LBS)	355
HORSEPOWER	1/3
AMPS	5.2
TRAILER LOADS	40' Container - 42 48' Trlr Load - 51 53' Trlr Load - 57



GDM-23

GLASS DOOR MERCHANDISER



GDM-26

GLASS DOOR MERCHANDISER



MODEL SPECIFICATIONS

	Daily KWH usage: 3.27
CABINET	
DIMENSIONS (LDH)	30 x 29 ⁷ / ₈ x 78 ⁷ / ₈ inches 762 x 759 x 1998 mm
SHELF SIZE (LD)	25 ³ / ₄ x 23 ¹ / ₄ inches 655 x 591 mm
CAPACITY (20 OZ)	
	Standard Shelving: 4 Flat Shelves __288
	Shelving Options: 5 Flat Shelves __360
	<i>Trueflex</i> (5) 320
CRATED WEIGHT (LBS)	335
HORSEPOWER	1/3
AMPS	7.2
TRAILER LOADS	40' Container - 42
	48' Trlr Load - 51
	53' Trlr Load - 57

MODEL SPECIFICATIONS

	Daily KWH usage: 4.78
CABINET DIMENSIONS (LDH)	39½ x 29½ x 78½ inches 1004 x 753 x 1998 mm
SHELF SIZE (LD)	17¼ x 21½ inches 439 x 537 mm
CAPACITY (20 OZ)	Standard Shelving: 8 Flat Shelves __ 336 Shelving Options: 10 Flat Shelves __ 420 <i>Trueflex</i> (10) __ 350
CRATED WEIGHT (LBS)	405
HORSEPOWER	⅓
AMPS	6.2
TRAILER LOADS	40' Container - 28 48' Trlr Load - 34 53' Trlr Load - 38

DEPTH DOES NOT INCLUDE ¾" FOR SLIDE DOOR HANDLE.



GDM-33
GLASS DOOR MERCHANDISER



GDM-33CPT

GLASS DOOR MERCHANDISER

MODEL SPECIFICATIONS

CABINET DIMENSIONS (LDH)	39½ x 24⅛ x 59⅞ inches 1004 x 613 x 1521 mm	Daily KWH usage: 4.41
SHELF SIZE (LD)	34⅜ x 17⅞ inches 874 x 455 mm	
CAPACITY (20 OZ)	Standard Shelving: 3 organizers __198 Shelving Options: 4 organizers __264 3 Flat Shelves __198 4 Flat Shelves __264	
CRATED WEIGHT (LBS)	400	
HORSEPOWER	½	
AMPS	4.1	
TRAILER LOADS	40' Container - 33 48' Trlr Load - 39 53' Trlr Load - 42	
DEPTH DOES NOT INCLUDE ⅞" EACH SIDE FOR SLIDE DOOR HANDLES.		

MODEL SPECIFICATIONS

	Daily KWH usage: 3.18
CABINET DIMENSIONS (LDH)	39½ x 24⅞ x 54⅞ inches 1004 x 613 x 1375 mm
SHELF SIZE (LD)	34¾ x 17⅞ inches 874 x 455 mm
CAPACITY (20 OZ)	
	Standard Shelving: 3 organizers __ 198
	Shelving Options: 3 Flat Shelves __ 198
CRATED WEIGHT (LBS)	360
HORSEPOWER	⅓
AMPS	4.1
TRAILER LOADS	40' Container - 33 48' Trlr Load - 39 53' Trlr Load - 42

DEPTH DOES NOT INCLUDE ⅞" EACH SIDE FOR SLIDE DOOR HANDLES.



GDM-33CPT-54

GLASS DOOR MERCHANDISER



GDM-33SSL-54

GLASS DOOR MERCHANDISER

MODEL SPECIFICATIONS

CABINET DIMENSIONS (LDH)	Daily KWH usage: 2.47 36 x 18 x 54 $\frac{1}{8}$ inches 915 x 458 x 1375 mm
SHELF SIZE (LD)	31 $\frac{3}{4}$ x 12 $\frac{3}{8}$ inches 807 x 315 mm
CAPACITY (20 OZ)	Standard Shelving: 3 organizers __ 120 Shelving Options: 3 Flat Shelves __ 120
CRATED WEIGHT (LBS)	260
HORSEPOWER	$\frac{1}{5}$
AMPS	3.3
TRAILER LOADS	40' Container - 48 48' Trlr Load - 56 53' Trlr Load - 64

DEPTH DOES NOT INCLUDE $\frac{3}{8}$ " FOR SLIDE DOOR HANDLES.

MODEL SPECIFICATIONS

	Daily KWH usage: 5.21
CABINET DIMENSIONS (LDH)	39½ x 29¾ x 78½ inches 1004 x 759 x 1998 mm
SHELF SIZE (LD)	17¼ x 21⅞ inches 439 x 537 mm
CAPACITY (20 OZ)	Standard Shelving: 8 Flat Shelves __ 336 Shelving Options: 10 Flat Shelves __ 420 <i>Trueflex</i> (10) 350
CRATED WEIGHT (LBS)	405
HORSEPOWER	⅓
AMPS	6.2
TRAILER LOADS	40' Container - 28 48' Trlr Load - 34 53' Trlr Load - 38

DEPTH DOES NOT INCLUDE 1⅞" FOR SWING DOOR HANDLES.



GDM-35
GLASS DOOR MERCHANDISER



GDM-35SL-RF

GLASS DOOR MERCHANDISER



MODEL SPECIFICATIONS

	Daily KWH usage: 3.08
CABINET	
DIMENSIONS (LDH)	39¾ x 24¼ x 58⅞ inches 1010 x 616 x 1477 mm
SHELF SIZE (LD)	35¼ x 15¼ inches 896 x 388 mm
CAPACITY (20 OZ)	
	Standard Shelving: <i>TrueTrac</i> ® (4) __220
	Shelving Options: 4 Flat Shelves 240
CRATED WEIGHT (LBS)	290
HORSEPOWER	⅓
AMPS	3.3
TRAILER LOADS	40' Container - 32 48' Trlr Load - 46 53' Trlr Load - 52

MODEL SPECIFICATIONS

	Daily KWH usage: 4.77
CABINET DIMENSIONS (LDH)	43½ x 29½ x 78½ inches 1105 x 753 x 1998 mm
SHELF SIZE (LD)	19 x 20½ inches 438 x 524 mm
CAPACITY (20 OZ)	Standard Shelving: 8 Flat Shelves __ 384 Shelving Options: 10 Flat Shelves __ 480 <i>Trueflex</i> (10) __ 420
CRATED WEIGHT (LBS)	425
HORSEPOWER	⅓
AMPS	6.2
TRAILER LOADS	40' Container - 28 48' Trlr Load - 34 53' Trlr Load - 38

DEPTH DOES NOT INCLUDE ¾" FOR SLIDE DOOR HANDLES.



GDM-37

GLASS DOOR MERCHANDISER


GDM-41
GLASS DOOR MERCHANDISER

MODEL SPECIFICATIONS

	Daily KWH usage: 4.83
CABINET DIMENSIONS (LDH)	47 $\frac{1}{8}$ x 29 $\frac{5}{8}$ x 78 $\frac{5}{8}$ inches 1197 x 753 x 1998 mm
SHELF SIZE (LD)	20 $\frac{7}{8}$ x 20 $\frac{5}{8}$ inches 531 x 524 mm
CAPACITY (20 OZ)	Standard Shelving: 8 Flat Shelves __ 392 Shelving Options: 10 Flat Shelves __ 490 <i>Trueflex</i> (10) 420
CRATED WEIGHT (LBS)	435
HORSEPOWER	$\frac{1}{3}$
AMPS	6.2
TRAILER LOADS	40' Container - 23 48' Trlr Load - 28 53' Trlr Load - 31

 DEPTH DOES NOT INCLUDE $\frac{3}{8}$ " FOR SLIDE DOOR HANDLES.

MODEL SPECIFICATIONS

CABINET DIMENSIONS (LDH)	Daily KWH usage: 2.29 48 x 24 $\frac{1}{8}$ x 48 inches 1220 x 613 x 1220 mm
SHELF SIZE (LD)	21 $\frac{1}{2}$ x 17 $\frac{1}{2}$ inches 547 x 445 mm
CAPACITY (20 OZ)	Standard Shelving: 6 Organizers __ 216 Shelving Options: 6 Flat Shelves __ 252 <i>TrueFlex</i> (6) 216
CRATED WEIGHT (LBS)	315
HORSEPOWER	$\frac{1}{5}$
AMPS	3.3
TRAILER LOADS	40' Container - 27 48' Trlr Load - 33 53' Trlr Load - 36

DEPTH DOES NOT INCLUDE $\frac{7}{8}$ " FOR SLIDE DOOR HANDLES.



GDM-41C-48

GLASS DOOR MERCHANDISER



GDM-41CPT-48

GLASS DOOR MERCHANDISER

MODEL SPECIFICATIONS

	Daily KWH usage: 3.67
CABINET DIMENSIONS (LDH)	48 x 24 $\frac{1}{8}$ x 48 inches 1220 x 613 x 1220 mm
SHELF SIZE (LD)	20 $\frac{7}{8}$ x 17 $\frac{7}{8}$ inches 531 x 445 mm
CAPACITY (20 OZ)	Standard Shelving: 6 Organizers __ 180 Shelving Options: 6 Flat Shelves __ 252
CRATED WEIGHT (LBS)	394
HORSEPOWER	$\frac{1}{3}$
AMPS	4.4
TRAILER LOADS	40' Container - 27 48' Trlr Load - 33 53' Trlr Load - 36

DEPTH DOES NOT INCLUDE $\frac{7}{8}$ " EACH SIDE FOR SLIDE DOOR HANDLES.

MODEL SPECIFICATIONS

CABINET DIMENSIONS (LDH)	Daily KWH usage: 2.85 47 $\frac{1}{8}$ x 21 x 54 $\frac{1}{8}$ inches 1197 x 534 x 1375 mm
SHELF SIZE (LD)	20 $\frac{7}{8}$ x 14 $\frac{3}{4}$ inches 531 x 375 mm
CAPACITY (20 OZ)	Standard Shelving: <i>TrueTrac</i> (6) __ 180 Shelving Options: 6 Flat Shelves 210
CRATED WEIGHT (LBS)	415
HORSEPOWER	$\frac{1}{5}$
AMPS	3.3
TRAILER LOADS	40' Container - 28 48' Trlr Load - 44 53' Trlr Load - 48

DEPTH DOES NOT INCLUDE $\frac{7}{8}$ " FOR DOOR HANDLES AND 1 $\frac{1}{8}$ " FOR RACKING SYSTEM.

LENGTH DOES NOT INCLUDE $\frac{3}{4}$ " EACH SIDE FOR RACKING SYSTEM.



GDM-41SL-54-WM
GLASS DOOR MERCHANDISER



MODEL SPECIFICATIONS

CABINET	Daily KWH usage: 3.55
DIMENSIONS (LDH)	47 $\frac{1}{8}$ x 21 x 59 $\frac{7}{8}$ inches 1197 x 534 x 1521 mm
SHELF SIZE (LD)	20 $\frac{7}{8}$ x 14 $\frac{3}{4}$ inches 531 x 375 mm
CAPACITY (20 OZ)	Standard Shelving: <i>truetrac</i> (6) __ 180 Shelving Options: 6 Flat Shelves __ 210 Shelving Options: 8 Flat Shelves __ 280
CRATED WEIGHT (LBS)	345
HORSEPOWER	$\frac{1}{3}$
AMPS	8.2
TRAILER LOADS	40' Container - 28 48' Trlr Load - 44 53' Trlr Load - 48

DEPTH DOES NOT INCLUDE $\frac{7}{8}$ " FOR DOOR HANDLES AND $1\frac{1}{8}$ " FOR RACKING SYSTEM.

LENGTH DOES NOT INCLUDE $\frac{3}{4}$ " EACH SIDE FOR RACKING SYSTEM.

GDM-41SL-60-WM

GLASS DOOR MERCHANDISER

MODEL SPECIFICATIONS

	Daily KWH usage: 5.30
CABINET DIMENSIONS (LDH)	47 $\frac{1}{8}$ x 29 $\frac{7}{8}$ x 78 $\frac{5}{8}$ inches 1197 x 759 x 1998 mm
SHELF SIZE (LD)	20 $\frac{7}{8}$ x 22 $\frac{1}{8}$ inches 531 x 562 mm
CAPACITY (20 OZ)	Standard Shelving: 8 Flat Shelves__ 448 Shelving Options: 10 Flat Shelves__ 560 <i>Trueflex</i> . (10) __ 420
CRATED WEIGHT (LBS)	450
HORSEPOWER	$\frac{1}{2}$
AMPS	7.7
TRAILER LOADS	40' Container - 23 48' Trlr Load - 28 53' Trlr Load - 31

DEPTH DOES NOT INCLUDE 1 $\frac{1}{8}$ " FOR SWING DOOR HANDLES.



GDM-43
GLASS DOOR MERCHANDISER



GDM-45

GLASS DOOR MERCHANDISER



MODEL SPECIFICATIONS

	Daily KWH usage: 5.73
CABINET DIMENSIONS (LDH)	51 $\frac{1}{8}$ x 29 $\frac{5}{8}$ x 78 $\frac{3}{8}$ inches 1299 x 753 x 1998 mm
SHELF SIZE (LD)	23 x 20 $\frac{5}{8}$ inches 585 x 524 mm
CAPACITY (20 OZ)	Standard Shelving: 8 Flat Shelves__ 448 Shelving Options: 10 Flat Shelves__ 560 <i>Trueflex</i> (10)__ 490
CRATED WEIGHT (LBS)	460
HORSEPOWER	$\frac{1}{2}$
AMPS	10.2
TRAILER LOADS	40' Container - 22 48' Trlr Load - 27 53' Trlr Load - 30

DEPTH DOES NOT INCLUDE $\frac{3}{8}$ " FOR SLIDE DOOR HANDLES.

MODEL SPECIFICATIONS

	Daily KWH usage: 5.96
CABINET DIMENSIONS (LDH)	54 $\frac{1}{8}$ x 29 $\frac{7}{8}$ x 78 $\frac{5}{8}$ inches 1375 x 759 x 1998 mm
SHELF SIZE (LD)	24 $\frac{5}{8}$ x 22 $\frac{1}{8}$ inches 626 x 562 mm
CAPACITY (20 OZ)	Standard Shelving: 8 Flat Shelves __ 448 Shelving Options: 10 Flat Shelves __ 560 <i>Trueflex</i> (10) __ 560
CRATED WEIGHT (LBS)	490
HORSEPOWER	$\frac{1}{2}$
AMPS	7.3
TRAILER LOADS	40' Container - 22 48' Trlr Load - 27 53' Trlr Load - 30

DEPTH DOES NOT INCLUDE 1 $\frac{1}{2}$ " FOR SWING DOOR HANDLES.



GDM-49

GLASS DOOR MERCHANDISER



GDM-69

GLASS DOOR MERCHANDISER



MODEL SPECIFICATIONS

CABINET	Daily KWH usage: 8.21
DIMENSIONS (LDH)	78 $\frac{1}{8}$ x 29 $\frac{5}{8}$ x 78 $\frac{3}{8}$ inches 1985 x 753 x 1998 mm
SHELF SIZE (LD)	23 $\frac{7}{8}$ x 20 $\frac{5}{8}$ inches 607 X 524 mm
CAPACITY (20 OZ)	Standard Shelving: 12 Flat Shelves__672 Shelving Options: 15 Flat Shelves__840 <i>Trueflex</i> (15)__735
CRATED WEIGHT (LBS)	675
HORSEPOWER	$\frac{3}{4}$
AMPS	6.5
TRAILER LOADS	40' Container - 14 48' Trlr Load - 17 53' Trlr Load - 19

DEPTH DOES NOT INCLUDE $\frac{3}{8}$ " FOR SLIDE DOOR HANDLES.

MODEL SPECIFICATIONS

	Daily KWH usage: 8.42
CABINET DIMENSIONS (LDH)	78 $\frac{1}{8}$ x 29 $\frac{7}{8}$ x 78 $\frac{5}{8}$ inches 1985 x 759 x 1998 mm
SHELF SIZE (LD)	24 $\frac{1}{4}$ x 22 $\frac{1}{8}$ inches 616 x 562 mm
CAPACITY (20 OZ)	Standard Shelving: 12 Flat Shelves__768 Shelving Options: 15 Flat Shelves__960 <i>Trueflex</i> (15) 735
CRATED WEIGHT (LBS)	670
HORSEPOWER	$\frac{3}{4}$
AMPS	6.5
TRAILER LOADS	40' Container - 14 48' Trlr Load - 17 53' Trlr Load - 19

DEPTH DOES NOT INCLUDE 1 $\frac{1}{8}$ " FOR SWING DOOR HANDLES.



GDM-72
GLASS DOOR MERCHANDISER



TAC-30

AIR CURTAIN

MODEL SPECIFICATIONS

CABINET	Daily KWH usage: N/A
DIMENSIONS (LDH)	30 x 30 $\frac{1}{8}$ x 80 $\frac{5}{8}$ inches 762 x 766 x 2048 mm
SHELF SIZE (LD)	25 $\frac{1}{16}$ x 17 $\frac{1}{2}$ inches 653 x 445 mm
CAPACITY (20 OZ)	Standard Shelving: 4 Flat Shelves__225 Shelving Options: <i>Trueflex</i> . (4) 192
CRATED WEIGHT (LBS)	390
HORSEPOWER	$\frac{1}{2}$
AMPS	12.0
TRAILER LOADS	40' Container - 26 48'Trlr Load - 32 53'Trlr Load - 34

USES 404A REFRIGERANT

MODEL SPECIFICATIONS

CABINET	Daily KWH usage: N/A
DIMENSIONS (LDH)	30 ³ / ₈ x 29 ³ / ₄ x 80 ³ / ₄ inches 772 x 756 x 2052 mm
SHELF SIZE (LD)	25 ¹¹ / ₁₆ x 17 ¹ / ₂ inches 653 x 445 mm
CAPACITY (20 OZ)	
	Standard Shelving: 4 Flat Shelves __ 216
	Shelving Options: <i>Trueflex</i> (4) 192
CRATED WEIGHT (LBS)	380
HORSEPOWER	1/2
AMPS	14.3
TRAILER LOADS	40' Container - 26 48' Trlr Load - 32 53' Trlr Load - 34

USES 404A REFRIGERANT



TAC-30GS

AIR CURTAIN



TAC-36

AIR CURTAIN

MODEL SPECIFICATIONS

CABINET	Daily KWH usage: N/A
DIMENSIONS (LDH)	36 x 30 $\frac{1}{8}$ x 80 $\frac{3}{8}$ inches 915 x 766 x 2048 mm
SHELF SIZE (LD)	32 x 15 $\frac{3}{8}$ inches 813 x 391 mm
CAPACITY (20 OZ)	Standard Shelving: 4 Flat Shelves 275
CRATED WEIGHT (LBS)	435
HORSEPOWER	$\frac{3}{4}$
AMPS	7.5
TRAILER LOADS	40' Container - 26 48' Trlr Load - 32 53' Trlr Load - 34

REQUIRES 208-230/60HZ, SINGLE PHASE, NEMA 6-15R
USES 404A REFRIGERANT

MODEL SPECIFICATIONS

	Daily KWH usage: 32.04
CABINET DIMENSIONS (LDH)	48 x 30 ⁵ / ₈ x 80 ⁵ / ₈ inches 1220 x 766 x 2048 mm
SHELF SIZE (LD)	44 x 16 ³ / ₄ inches 1118 x 426 mm
CAPACITY (20 OZ)	
	Standard Shelving: 4 Flat Shelves 375
CRATED WEIGHT (LBS)	540
HORSEPOWER	1
AMPS	12.0
TRAILER LOADS	40' Container - 22 48' Trlr Load - 26 53' Trlr Load - 29

REQUIRES 208-230/60HZ, SINGLE PHASE, NEMA 6-15R
USES 404A REFRIGERANT



TAC-48

AIR CURTAIN



TAC-48GS

AIR CURTAIN

MODEL SPECIFICATIONS

CABINET	Daily KWH usage: 32.04
DIMENSIONS (LDH)	48 x 30 $\frac{1}{4}$ x 80 $\frac{3}{8}$ inches 1220 x 769 x 2048 mm
SHELF SIZE (LD)	44 x 16 $\frac{3}{4}$ inches 1118 x 426 mm
CAPACITY (20 OZ)	Standard Shelving: 4 Flat Shelves <u>375</u>
CRATED WEIGHT (LBS)	535
HORSEPOWER	1
AMPS	12.0
TRAILER LOADS	40' Container - 22 48' Trlr Load - 26 53' Trlr Load - 29

REQUIRES 208-230/60HZ, SINGLE PHASE, NEMA 6-15R
USES 404A REFRIGERANT